

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
North Bergen Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| AIDS-Any OI | 42 | 23 | 0 | 0 | 42 | 23 |
| AIDS-CD4 Only | # | # | # | # | 63 | 35 |
| HIV Only | # | # | # | # | 76 | 42 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 180 | 100 | # | # | 181 | 100 |

| Current | | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| 2. Age * | Cases | % | | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | ----- | --- | ----- | --- | ----- | --- |
| <5 | 0 | 0 | White, Not Hispanic | # | # | # | # | 58 | 32 |
| 5-12 | # | # | Black, Not Hispanic | 12 | 7 | 0 | 0 | 12 | 7 |
| 13-19 | # | # | Hispanic | 109 | 61 | 0 | 0 | 109 | 60 |
| 20-29 | 8 | 4 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 47 | 26 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 77 | 43 | Total | 180 | 100 | # | # | 181 | 100 |
| 50+ | 45 | 25 | | | | | | | |
| Unk. | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 181 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | Total | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | | |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 64 | 48 | 0 | 0 | 64 | 36 |
| Injection drug user (IDU) | 23 | 17 | 10 | 23 | 33 | 19 |
| MSM/IDU | # | # | 0 | 0 | # | # |
| Heterosexual contact | # | # | # | # | # | # |
| Risk not reported/other*** | 30 | 23 | 13 | 30 | 43 | 24 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 133 | 100 | 43 | 100 | 176 | 100 |

| | Pediatric Transmission Modes | | | | Total | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | | |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | # | # | # | # | # | # |
| Risk not reported/other*** | # | # | # | # | # | # |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | # | # | # | # | 5 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Bergen Residents

| 1. Disease Category | Adult/Adolescent* | | Deaths (%) | Pediatric* | | Deaths (%) | Total | |
|---------------------|-------------------|-------|------------|------------|-----|------------|-------|-------|
| | Cases | (%) | | Cases | (%) | | Cases | (%) |
| PCP | # | (#) | # | (#) | # | (#) | 97 | (32) |
| Other OI w/o PCP | # | (#) | # | (#) | # | (#) | 91 | (30) |
| KS Alone | 11 | (4) | 11 | (100) | 0 | (.) | 11 | (4) |
| No Disease Listed | 103 | (35) | 40 | (40) | 0 | (.) | 103 | (34) |
| Total | 297 | (100) | 194 | (66) | 5 | (100) | 302 | (100) |

| 2. Age * | Cases | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-------|------------|-------|-------|-------|
| | Cases | % | | Cases | % | Cases | % | Cases | % |
| Under 5 | # | # | White, Not Hispanic | # | # | # | # | 147 | 49 |
| 5-12 | # | # | Black, Not Hispanic | 19 | 6 | 0 | 0 | 19 | 6 |
| 13-19 | 0 | 0 | Hispanic | # | # | # | # | 134 | 44 |
| 20-29 | 46 | 15 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 141 | 47 | ----- | ----- | ----- | ----- | ----- | ----- | ----- |
| 40-49 | 71 | 24 | Total | 297 | 100 | 5 | 100 | 302 | 100 |
| Over 49 | 39 | 13 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| Total | 302 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Men sex with men (MSM) | 100 | 43 | 0 | 0 | 100 | 34 |
| Injection drug user (IDU) | 76 | 32 | 27 | 44 | 103 | 35 |
| MSM/IDU | 10 | 4 | 0 | 0 | 10 | 3 |
| Heterosexual contact | 11 | 5 | 24 | 39 | 35 | 12 |
| Risk not reported/other*** | 38 | 16 | 11 | 18 | 49 | 16 |
| Total | 235 | 100 | 62 | 100 | 297 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|---|---------|---|-------|-----|
| | Males | % | Females | % | Total | % |
| Parent at risk/has AIDS/HIV | # | # | # | # | # | # |
| Risk not reported/other*** | # | # | # | # | # | # |
| Total | # | # | # | # | 5 | 100 |

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Bergen Residents

5. AIDS Cases by Year of Diagnosis.

| Year of Diagnosis ----- | Number of Cases ----- | Number of Deaths ----- | Case-Fatality Rate ----- |
|-------------------------------|-----------------------------|------------------------------|--------------------------------|
| Before 1985 | # | # | # |
| 1985 | # | # | # |
| 1986 | 13 | 13 | 100% |
| 1987 | 17 | 15 | 88% |
| 1988 | 16 | 15 | 94% |
| 1989 | 10 | 10 | 100% |
| 1990 | 22 | 21 | 95% |
| 1991 | 14 | 12 | 86% |
| 1992 | 24 | 18 | 75% |
| 1993 | 39 | 30 | 77% |
| 1994 | 22 | 18 | 82% |
| 1995 | 18 | 9 | 50% |
| 1996 | 22 | 6 | 27% |
| 1997 | 18 | 8 | 44% |
| 1998 | 9 | # | # |
| 1999 | 13 | # | # |
| 2000 | 14 | # | # |
| 2001 | 9 | # | # |
| 2002 | 10 | 5 | 50% |
| 2003 | # | # | # |
| 2004 | # | # | # |
| ----- | ----- | ----- | ----- |
| Total | 302 | 197 | 65% |

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
North Bergen Residents

| 1. Age * | Cases | | 2. Race/Ethnicity | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| | ----- | --- | | Cases | % | Cases | % | Cases | % |
| Under 5 | # | # | White, Not Hispanic | # | # | # | # | # | # |
| 5-12 | # | # | Black, Not Hispanic | 5 | 6 | 0 | 0 | 5 | 6 |
| 13-19 | # | # | Hispanic | # | # | # | # | 55 | 68 |
| 20-29 | 17 | 21 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 31 | 38 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 20 | 24 | Total | 79 | 100 | # | # | 82 | 100 |
| Over 49 | 10 | 12 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 82 | 100 | | | | | | | |

| 3. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 29 | 52 | 0 | 0 | 29 | 37 |
| Injection drug user (IDU) | 5 | 9 | 6 | 26 | 11 | 14 |
| MSM/IDU | # | # | 0 | 0 | # | # |
| Heterosexual contact | # | # | # | # | # | # |
| Risk not reported/other*** | 14 | 25 | 5 | 22 | 19 | 24 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 56 | 100 | 23 | 100 | 79 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | # | # | # | # | # | # |
| Risk not reported/other*** | 0 | 0 | 0 | 0 | 0 | 0 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | # | # | # | # | # | # |

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
North Bergen Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| AIDS-Any OI | # | # | # | # | 199 | 52 |
| AIDS-CD4 Only | 103 | 27 | 0 | 0 | 103 | 27 |
| HIV Only | # | # | # | # | 82 | 21 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 376 | 100 | 8 | 100 | 384 | 100 |

| 2. Age * | | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| | Cases | % | | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | ----- | --- | ----- | --- | ----- | --- |
| Under 5 | 6 | 2 | White, Not Hispanic | # | # | # | # | 168 | 44 |
| 5-12 | # | # | Black, Not Hispanic | 24 | 6 | 0 | 0 | 24 | 6 |
| 13-19 | # | # | Hispanic | 183 | 49 | 6 | 75 | 189 | 49 |
| 20-29 | 74 | 19 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 172 | 45 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 82 | 21 | Total | 376 | 100 | 8 | 100 | 384 | 100 |
| Over 49 | 46 | 12 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 384 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 129 | 44 | 0 | 0 | 129 | 34 |
| Injection drug user (IDU) | 81 | 28 | 33 | 39 | 114 | 30 |
| MSM/IDU | 11 | 4 | 0 | 0 | 11 | 3 |
| Heterosexual contact | 18 | 6 | 36 | 42 | 54 | 14 |
| Risk not reported/other*** | 52 | 18 | 16 | 19 | 68 | 18 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 291 | 100 | 85 | 100 | 376 | 100 |

| | Pediatric Transmission Modes | | | | Total | % |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | | |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | # | # | # | # | 7 | 88 |
| Risk not reported/other*** | # | # | # | # | # | # |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | # | # | # | # | 8 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
North Bergen Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

| Year of First HIV/AIDS Diagnosis | Number of Cases | Number Known Dead | Case-Fatality Rate |
|-------------------------------------|--------------------|----------------------|-----------------------|
| ----- | ----- | ----- | ----- |
| Before 1985 | 5 | # | # |
| 1985 | # | # | # |
| 1986 | 16 | 16 | 100% |
| 1987 | 20 | 16 | 80% |
| 1988 | 26 | 22 | 85% |
| 1989 | 23 | 20 | 87% |
| 1990 | 24 | 20 | 83% |
| 1991 | 26 | 20 | 77% |
| 1992 | 32 | 14 | 44% |
| 1993 | 33 | 20 | 61% |
| 1994 | 24 | 17 | 71% |
| 1995 | 18 | 5 | 28% |
| 1996 | 20 | # | # |
| 1997 | 21 | 7 | 33% |
| 1998 | 13 | # | # |
| 1999 | 20 | # | # |
| 2000 | 24 | 5 | 21% |
| 2001 | 13 | # | # |
| 2002 | 13 | # | # |
| 2003 | 8 | 0 | 0% |
| 2004 | # | # | # |
| ----- | ----- | ----- | ----- |
| Total | 384 | 203 | 53% |